Sandra Faire & Ivan Fecan

<u>Theatre</u>

school of the arts, media YORK performance & design

Venue Package









Contents

Safety Guidelines & Capacity	2
Stage Information	2
Rigging, Soft Goods, Orchestra Pit, Staging & Risers	3-4
Lighting	4-5
Audio	5-7
Video	8
Dressing Rooms	8
Wardrobe & Costumes	8
Front of House & Box Office Information	9
Loading Dock	
Ground Plan	
Parking Information	12
Contact Information	

Safety Guidelines

As set out in the "Safety Guidelines for the Live Performance Industry in Ontario" York's H&S policy stipulates that during set up/load-in and strike/load-out the theatre space is considered a Construction Site and must follow the regulations as stipulated by the Ontario Health and Safety Act (OH&SA). As such, everyone who enters a performance space during these times (both on stage and in the audience chamber) must be wearing appropriate Personal Protective Equipment (PPE), including CSA approved foot ware (i.e.-steel toes) and a CSA approved hard hat. There are no exceptions.

Between set up/load-in and strike/load-out, the theatre will revert to an Industrial Site (as defined by the OH&SA) and appropriate PPE must be used when hazards are present (i.e. hard hats must be worn when overhead work is being done). The Performance Facilities Lead technicians(s), *Coordinator, Technical Services* OR *Manager, Performance Facilities* will be responsible for deciding when the theatre changes between a Construction and Industrial site.

For further information about York's Health and Safety policies and in particular Performance Facilities Health and Safety policies please contact the *Manager, Performance Facilities* or the *Coordinator, Technical Services*.

NOTE: Food and drinks are not permitted in the space, except bottled water.

Capacity

Total	362
Wheelchair Access	Yes

Seats totals do not include house and accessibility seating mandatory holds. Please consult with the Front of House and Box Office Coordinator to confirm available seat

Stage

Stage floor	3/8 Baltic Birch over Plyron.
Proscenium (WxH)	41'x26'
Plaster line to back wall	48'
Deck to fly floor	29' 5"
Centre line to stage right	47' 5"
Centre line to stage left	45'
Automated Apron (DxW)	
Irregular shape, see drawing for actual shape.	7′ 9″ x 32′ 9″
Plaster line to Cyclorama	33' 4"

Leg to leg is set at 35' – Opening wider than this may cause sightline issues

<u>Rigging</u>

Fly System		
Fly Floor (SL)	29′ 5″	
Loading Floor (SL)	62′ 2″	
Grid	65′ 8″	
Weight Types:	Full brick – 44 lbs	
	1/2 Brick – 22lbs	
	1/4 Brick – 11 lbs	

Line Sets		
Length	60'	
Type of Batten	Schedule 40 Steel	
Spacing	See Line Set	
	schedule	
Line Set 1 from	1' 11"	
plaster line		
Max. Load/Pipe	1500 lbs	
Max. Hang height	67' From deck	
Total Line Sets	52	

<u>Motorized Winches and Hoists</u>: Four ¼ tonne chain motors W/ 67' chains. *Please check availability with <u>Coordinator, Technical Services</u>*

Front of House hanging positions: One beam 4' downstage of Proscenium. Elevated Work Platforms: Skyjack SJIII 3219, Skyjack SJIII 3226, Genie GR-15

> House rigging accessories and elevated platforms are a shared resource and are therefore available on a first come first serve basis, **please contact the Coordinator, Technical Services, for availability.**

Soft Goods

Item	Qty	Size	Colour	Material	Flame Treated
Legs	6	28'-10" x 17'-7"	Black	Velour	Yes
Borders	6	11 'x 60'	Black	Velour	Yes
Scrim - Black	1	28'-10" x 61'	Black	Scrim	Yes
Scrim - White	1	28'-10" x 61'	White	Scrim	Yes
Cyclorama	1	60' x 28'-9"	White	PVC	Yes
Blackout Drops	4	28'-10" x 55'	Black	Velour	Yes
Projection Screen	1	9 'x 16'	White	PVC	Yes

Orchestra Pit

Description	Motorized Gala lift plus additional space under front of stage
Dimensions	US 29'-8"/ DS 32'-8" - Irregular shape, see drawing for actual shape.

*The theatre stage is designed with a trap system. Please contact the Coordinator, Technical Services for more information. *

Staging and Risers

Item	Dimensions	Qty	Colour	Construction	Surface
	12" H x 20" W				
	32" (lowest setting)				
Music Stands	55" (highest setting)	100+	Black	Wenger	Plastic
	33″ ½ H x 16″ ½ W				
Orchestra Chairs	17" ½ (seat height)	100+	Black	Wenger	Plastic
	34"H x 33" W				
Armchairs	19" (seat height)	6	Beige	IKEA	Fabric
	23″ x 29″ ½				
Coffee tables	19" ¼ (seat height)	3	Black	IKEA	Wood

A variety of risers are available upon request. For more information about all other available risers, please go to our <u>Shared Equipment Document</u>

Lighting

The Sandra Faire & Ivan Fecan Theatre is equipped with an **ETC Ion Xe20** with an available 40 channel fader wing. ETC Paradigm for house Light control with touch panels located stage right and in the control booth. *Circuit connectors are 20 amps new style 3-pin twist lock.*

Stage lighting dimming system	Strand C21 – 19 Dim cards, 6 Non-dim cards, 2x Hybrid cards
Universes available	12
DMX Data Distribution System	sACN
Remote control	Designer display, iPad control
Available nodes	2
Network switches	2

Lighting Power		
Amps	Poles	Location
400 w/Camlock "J" series - ground and neutral reversed	3	Upstage Right
400 (no Camlocks - tails required)	3	Side stage Right

Lighting fixtures

House Plot Fixtures

Relocating house plot fixtures is a chargeable item. Please contact the Coordinator, Technical Services for more details.

Available Fixtures*

All available fixtures are shared between venues within Performance Facilities, **availability is based on a first come first serve basis.**

<u>Colour Media:</u> Performance Facilities is a Rosco house with some Lee gels. <u>Gobos:</u> An assortment of gobos, breakups and patterns are available. <u>Fixtures Accessories:</u> Gobo holders, Top hats, Half hats, Eyelashes, Drop-in Iris. <u>Special Effects</u>: MDG Atmosphere hazer

Please contact the *Coordinator, Technical Services,* for more details.

To view the current house plot for the Sandra Faire and Ivan Fecan Theatre please go to <u>Sandra Faire House Plot</u> and to <u>Sandra Faire Magic Sheet</u>

> For more information about all available please refer to our <u>Shared Equipment Document</u>

<u>Audio</u>

Front of House	
House Mix Location	Back of house
House Audio Console	DiGiCo SD9 w/talkback mic
Other Possible Locations	Control booth
FOH Speaker System	Self-powered Meyer UPJ-1P (left, right, centre,
	under balcony and house delay zones)

Additional Sound Reinforcement	3 Meyer UPJ-1P Front fills (on request)
Playback Equipment	DENON DNC 635, iMac with Qlab 4.5
Recording Equipment	Room stereo archiving and/or multitrack recording available via Dante or UB Madi protocols
Computer Software and hardware	Logic Pro X, Waves Soundgrid w/Waves plugins,
	Dante card, UB Madi

NOTE: Performance Facilities is equipped with an in-house recording studio for live multi-tracking recording which is located in the Tribute Communities Recital Hall. **For more information about our recording studio please go to :** <u>Tribute Communities Recital Hall</u>

Stage Monitoring			
Monitor Mix Location	Stage Left, stage right, front of house, booth		
Monitor Audio Console	Allen & Heath SQ5 w/Dante card		
Monitor System	Up to 4 individual mixes (passive)		
	• 2 x JBL MRX500		
	• 6 x JBL MP412 (passive)		
	• 2 x EV FRi+152/94 (permanent mixes as overheads)		
	• 4 x EV ELX 112P (active)		
8x Allen & Heath ME-500 w/Shure SE215-CL in-ears is a shared resource within Performance			
Facilities			

Facilities.

For more information about our Monitor System, please refer to our Shared Equipment Document; hyperlink below.

NOTE: An additional technician is required for shows over **four** individual monitor mixes

All available audio equipment is shared between venues within Performance Facilities, **please** contact Coordinator, Technical Services for availability. Backline is available upon request.

For more information about all available audio equipment and backline please go to our <u>Shared Equipment Document</u>

Audio (cont.)

Recording Studio (located in Tribute Communities Recital Hall)House Mix LocationStage Left Booth (TCRH)

House Audio Controller	SSL AWS 900
Audio Input	Dante - Focusrite Rednet
Mixing Monitors	Genelec 1031A w/Genelec Sub 7070A
Computer	Mac Pro
Computer Software and Hardware	Pro Tools 10 HD
Studio Signal Processing	Avalon AD2022, dbx 160XL, Drawmer DS 201,
	Lexicon 9060L, Eventide H8000

Production Communications		
Clear-Com System	MS-440 (4-channel)	
Wireless Clear-Com System	FreeSpeak II (2 belt packs)	
Location of Master Station	Stage right, middle house crossover, booth	
Clear-Comm Patch Locations	Multiple locations throughout the building	
Paging Stations	Stage right, control booth	
In house video monitoring CCTV	Dressing rooms, backstage, lobby, SL and SR	
	TVs side stage	

Our CCTV system is able to display content in various formats including PowerPoint, videos, images and web streaming, with 2 display channels available for promotional material.

NOTE: Assistive listening system is available upon request.

Audio Power		
Power Disconnects		
Amps	Poles	Location
200 (no Camlock – tails required)	3	Side stage Right
200 w/Camlock "J" series - ground and neutral reversed	3	Stage Right
Isolated grounds available upstage right and left, downstage right and left, orchestra pit, booth		

<u>Pianos:</u> Please contact the **Coordinator, Technical Services** for piano requests

<u>Piano Tuning</u>: Available upon request for a fee. *Please contact the Manager, Performance Facilities, for more details*.

<u>Video</u>

House Video System		
Projector	Christie D12HD-H (10K lumens)	
Location of Projector	Line Set #4	
Location of Projector Screen	Line Set # 30 (16'x9')	
Other possible locations	Control booth, Balcony, Fly system	
Patch Locations	FOH, Control booth, Stage Right, Stage Left, Balcony	
Default lens	1.02-1.36	
Connectivity	HDbaseT, SDI, HDMI, VGA, DVI	

<u>NOTE</u>: If the video system needs to be reconfigured (as outlined above), additional crew members will be required.

All available video equipment is shared between venues within Performance Facilities, please contact Coordinator, Technical Services for availability.

For more information about all available video equipment please refer to our <u>Shared Equipment Document</u>

Dressing Rooms

Room #	Makeup Stations	Max. Capacity	Handicap Accessibility	Location
024	15	20	Yes	Lower Level
026	15	20	Yes	Lower Level
028	15	20	Yes	Lower Level

Wardrobe & Costume

Room #	Max. Capacity	Handicap Accessibility	Location
032	5	Yes	Lower Level
034	5	Yes	Lower Level

<u>Additional Items Available</u>: Washers (2) and dryers (2), iron and ironing board, salon sink, fixed clothing racks

Studios are available for rehearsals or extra dressing rooms; however, they are an additional charge.

Please contact the Manager, Performance Facilities for pricing & availability

Front of House & Box Office

Audience services include professional box office operations and front-of-house services. The box office utilizes the Tixhub Ticketing System, and provides ticketing services (online, in-person and by phone) for clients. Front-of-house services include coatcheck, ushering, catering arrangements and general assistance with event planning.

The CIBC Lobby is a 2,600 sq. ft. shared lobby space fronting the Sandra Faire and Ivan Fecan Theatre and the Tribute Communities Recital Hall. It includes a full-service box office and coat check area. In addition to supporting front-of-house services for the recital hall and theatre, the lobby is an excellent venue for receptions, conference registration, exhibits, marketplaces and small performance presentations. It can be booked separately for special events that may not require a full performance facility.

Box Office

The AMPD Box Office is located at York University's Keele Campus in Toronto. There are two box office locations:

Accolade East Box Office (main box office):


The Accolade East Box Office is located in the CIBC Lobby of the Accolade East Building. Tickets for all events taking place in AMPD facilities can be purchased in advance at this location.

On the day of performance, the Accolade Box Office provides ticketing services for events in **the Sandra Faire & Ivan Fecan Theatre, the Tribute Communities Recital Hall, McLean Performance Studio and Foster Acting Studio**. In addition, ticketing services can be provided for any performance in any studio space.

Loading Dock

Loading to the Sandra Faire and Ivan Fecan Theatre	Behind side stage right
Dock heights	Two at 4'-7" and one at 2'-6"
Type of docks	Two level loading, 1 van dock
Size of dock doors	h. 9'-10" x 7'-9" w.
Sizes of doors between the dock and the	h. 7'-9" x 7'-8"w.
stage	
Location of street level loading	On Fine Arts Road at West end of Accolade
	East building
Maximum truck size capacity	53'-0"
Distance from dock to stage	57'-3″
Types of elevators available	Person elevators, one freight elevator which
	must be operated by a York University
	Technician
Distance and route from dock to FOH	171'-0"
positions, touring audio and lighting positions	

For a list of our frequently asked questions please visit our FAQ page: <u>Frequently Asked Questions</u>



Exit Stage Right

16'-11"

8.-3"

Ladder Storage


Parking

Parking in the loading dock is strictly prohibited; Clients are allowed 10 minutes to load/unload their vehicles.

Parking passes are available upon request,

please contact the Manager, Performance Facilities for pricing & availability.

For more detailed information about navigating through York University Keele Campus, please visit our interactive map: <u>Sandra Faire and Ivan Fecan Theatre</u>



Contact Information

Venue Contact

Performance Facilities

120 Accolade East building York University, 4700 Keele Street Toronto, Ontario, M3J 1P3 T- 416.736.5292 <u>perform@yorku.ca</u>

Jacquie Lazar Manager, Performance Facilities T- 416.736.5776 jacquiel@yorku.ca

Victor Wolters

Coordinator, Technical Services T- 416.736.5254 victorw@yorku.ca

Scott Rennick

Front of House and Box Office Coordinator T – 416.736.5951 <u>scottren@yorku.ca</u>

Box Office

T- 416.736.5888 boxoffice@yorku.ca

For a list of our frequently asked questions please visit our FAQ page: <u>Frequently Asked Questions</u>